

# *Simplifying* Internal Timber Doorsets™


Flat Entrance | Internal | Communal



**Modulo**  
Doorsets® BY Selo.

Approved, Certified & Accredited:





## Contents

Modulo Doorsets

# Innovative, adaptable internal doorsets

## Modulo Doorsets

Brand Promise	04
Core Values	05
Training	06
Halo Assist Support	34

## The Modulo System

Overview	08
Applications	09
Features & Benefits	10
Pricing Tiers	13
Gallery	14

## Applications

Flat Entrance Doorsets	20
Internal Doorsets	22
Communal Doorsets	24
Case Study	32

## Technical Details

Door Leaf Sizes	26
Door Leaf Finishes	28
Door Leaf Vision Panels	29
Door Leaf Furniture	30



## Modulo Doorsets

Brand Promise

BY SEL0.

Since we founded in **2008**, we've consistently explored opportunities to **simplify bespoke** and **complex building** methods.

Replacing them with dependable systems that deliver consistent, premium outcomes. We focused on specialist doors and that's still the core of our business now.

There are three key promises we keep to add value to our customers:



Scan QR to view more  
[selo.global/why-selo](https://selo.global/why-selo)

### PROTECT

Reduce every potential risk to a minimum

Unrivalled experience of large, complex projects and pioneering fire safety assurance.

*We never walk away from a problem*

### INNOVATE

We have a legacy of industry leading innovation

Our continuous development drive has led us to the forefront of industry innovation.

*Our innovations become industry norms*

### SUPPORT

Give detailed project assistance at every stage

Proven process and industry expertise to ensure everything works out as intended.

*Support surrounding your project*

halo  
assist

## Modulo Doorsets

Core Values

BY Selo.

We own a set of **principles that we live by.** These ten core values run through the heart of our organisation

Whether it be the products and services we provide, the way we treat our staff or the way we run the business. We apply these values to everything that we do:



Scan QR to view more  
[selo.global/about](https://selo.global/about)

- #1 **Keep it simple**
- #2 **Tell things as they are, with respect**
- #3 **Embrace change**
- #4 **Positive 'will do' attitude**
- #5 **Work at pace, have fun**
- #6 **Never ever give up**
- #7 **Take ownership**
- #8 **One company, one team**
- #9 **Get the result**
- #10 **Learn continuously**

# CPD & Breakfast Morning Presentations:



### WORKSHOP

#### Design & Specification

One-to-one advisory workshops providing clarity to the Stage 4 specification process. We will assist you in the completion of your specification, ready for BSA sign-off.



### CPD

#### Doors & Walls as a System

Explore the requirements as a result of the latest Building Regulations, focusing on fire safety and compliance surrounding internal doors and supporting wall construction.



### CPD

#### Rethinking Timber Doorsets

Transforming the way we think about timber doorsets through modular system design, modern manufacturing and innovative installation.



Scan QR to book  
Email [keelan@selo-uk.com](mailto:keelan@selo-uk.com)





# Complimentary training for both **specifiers** and **installers**

## TRAINING & CERTIFICATION

Selo Academy has been designed to create an immersive and engaging environment for specifiers and installers at all stages of their career.

Practical training is provided by our product technicians. We join you on-site to complete a real-world installation demonstration.




Scan QR to view more  
[selo.global/installer-training](https://selo.global/installer-training)

## How the Training Day is structured:




### Technical & Theory

Harry Purdom starts the day with a theory-based educational session covering the product features to assist with installation and the different applications to ensure compliance.



### Practical Installation

Installation training with a fitting demonstration from our site technician, then installing the doors under observation. Featuring technical tips and tricks to ensure a compliant and simple installation.



### Common Mistakes

Lessons learned session. All featured from Modulo's vast experience with pocket doors on site – what to look out for and what to be aware of.

# Building. Better.

## The Modulo System

Overview

# The **adaptable doorset** system to **accommodate on-site variations**



Historically, doors and linings were bespoke items modified on-site to suit the opening where they were fitted.

Things have moved on with the advances in manufacture driven by the cost, and shortage of skilled site labour.

The Modulo concept represents a quantum leap by making an 'off-the-shelf' solution with an intelligent installation system to allow for a minimum of 20mm of adjustment in each dimension ensuring perfectly fitting doors in structural openings that have not been accurately formed.



Scan QR to view more  
[modulodoorsets.com/the-modulo-doorset](https://modulodoorsets.com/the-modulo-doorset)



## The Modulo System

Applications

# Simplifying **Project-based** and **Retrofit** applications

Modulo Doorsets provide **tangible value** to both specifiers and installers:

### Project-based Applications

- ✓ RIBA stage 2-5 design support
- ✓ Multiple design configurations
- ✓ Project specific samples



### Retrofit Applications

- ✓ Short lead times
- ✓ Quick-fit system
- ✓ Fire and smoke options



### Simple to **Specify**

Modulo is simple to select and specify, reducing design time and planning costs. The diverse range of standard finishes can create unique, cost effective designs with short lead times.



### Simple to **Procure**

Our unique pricing configurator makes door procurement simple offering competitively priced doorsets and strategic savings across your project.



### Simple to **Manufacture**

Off-site manufacturing precision. Minimal lead times from order placement to delivery, providing the industry with world-class lead times.



### Simple to **Install**

The modular adaptable system is pre-cut, morticed and mitred, along with the option of the rapid-fit bracket system allows for simple and fast installation.

## The Modulo System

Features & Benefits

# System Benefits

### For Retrofit:

#### ✓ Short lead-times

Your timber doorset can arrive onsite up to 7-10 working days, (depending on quantity).

#### ✓ Quick-fit System

Modulo Doorsets arrive pre-hung, including ironmongery and rapid fit brackets. It can be installed in half the time compared to a regular timber door.

#### ✓ Adjustable Frame

The 15mm telescopic adjustable architrave means you can adjust the architrave position (up to 27mm) should the wall thickness change.

#### ✓ FD30

Our lead-times don't increase for fire-rated doorsets.

#### ✓ PAS 24

It will soon be a requirement for all new front doors to be PAS 24 rated. We can supply an adjustable, fast to install and fire rated flat entrance doorset with stocked options available.

### For Projects:

#### ✓ Detailed Design Specification

Our in-depth knowledge of RIBA stage 2-5 can assist your specification ready for BSA sign-off.

#### ✓ Custom Samples

We can provide project specific samples and finish swatch panels so you can see your door type before it is installed.

#### ✓ Adjustable Frame

The 15mm telescopic adjustable architrave means you can adjust the architrave position (up to 27mm) should the wall thickness change.

#### ✓ Design Options

Modulo Doorsets are available in a wide range of finishes as well as ironmongery options to suit fire-rated and PAS 24 applications.



## The Modulo System

Features & Benefits

# System Components

### 1 Door Leaf

44mm Blockboard core (as standard), stronger and lighter than chipboard. ABS lippings to the top and sides; either complimenting or contrasting colours, with no need for on-site trimming or finishing.

### 2 Door Frame

30mm thick with pre-installed smoke/sound gasket. Four standard widths; 85mm, 100mm, 120mm, 140mm in a ready to paint finish.

### 3 Architrave

Pre-mitred with Hoffman clips for easy on-site assembly and simply pushed into frame groove to fit.

### 4 Vision Panel

7mm Pyrobelite fire-rated glass available in three layout configurations with either White or Oak beading.

### 5 Intumescent Strip & Seal


Providing the required Fire-rating.

### 6 Butt Hinges

Satin Stainless Steel ball bearing hinges.

### 7 CE Certified Door Leaf Furniture

Handles, Closers, Latches and Ancillaries available in satin Stainless Steel.





## The Modulo System

Features & Benefits

# Adjustable Frame & Architraves

Profile section:



### Frame Lining

The exceptional Modulo frame profile comes as standard in the blockboard construction which gives supreme stability and keeps straight making installation so much easier. The frame is a 30mm rebated style shown with pre-cut slots at the rear to take the architraves. Then the integral smoke/acoustic seal in the stop provides a cushioned stop to add to the quality and feeling of solidity.



### Architrave Surround














The much-loved winged Modulo architrave is 70mm wide with a 16mm deep profile, pencil radius to the corners and a 20mm wing which is pre-mitred and grooved ready to take Hoffman joints, saving time and waste on site. There is also an option for an extra long wing of 35mm available on request, speak to the Selo team for alternative sizes or styles **020 0380 0339**.



FSC Responsibly  
Sourced Timber

# The Modulo System

## Pricing Tiers

Door Core	Frame	Architraves	Finishes	Assembly	Ironmongery	Gold
<p>1. <b>ModuCore PB</b> 44mm or 54mm</p> 	<p>1. <b>Rebated SeloBlock</b> Hardwood or Softwood Laminated or RTP</p> 	<p>1. <b>Bespoke</b> Rounded, Mitred or Profiled Laminated or RTP</p> 	<p>1. <b>Veneered Bespoke</b> 2. <b>Laminate</b> 3. <b>Ready To Paint (RTP)</b> <input type="radio"/> Matt Paper 4. <b>Panelled / Grooved</b></p>	<p>1. <b>Pre-hung Frame</b> Mitred, clipped Architrave</p> 	<p>1. <b>To Client Specification</b></p>	
<p>1. <b>ModuCore PB</b> 44mm 2. <b>ModuCore BB</b> 44mm</p> 	<p>1. <b>Rebated SeloBlock</b> Hardwood or Softwood RTP</p> 	<p>1. <b>Rounded or Profiled Edges</b> Laminated or RTP</p> 	<p>1. <b>Laminate</b> <input type="radio"/> Light Oak <input type="radio"/> Mid Oak <input type="radio"/> Slate Grey <input type="radio"/> Chalk White 2. <b>Ready To Paint (RTP)</b> <input type="radio"/> Matt Paper</p>	<p>1. <b>Pre-hung Frame</b> Mitred, clipped Architrave</p> 	<p>1. <b>To Client Specification</b></p>	
<p>1. <b>ModuCore TC</b> 35mm, 40mm or 44mm 2. <b>ModuCore HC</b> 35mm, 40mm or 44mm</p> 	<p>1. <b>Timber Liner &amp; Loose MDF Stop</b> 2. <b>MDF Liner &amp; Loose MDF Stop</b> 3. <b>Rebated MDF</b> (All RTP)</p> 	<p>1. <b>Pin-on</b> 2. <b>Rounded or Profiled Edges</b> (All RTP)</p> 	<p>1. <b>Ready To Paint (RTP)</b> <input type="radio"/> Matt Paper</p>	<p>1. <b>Kit Form Frame</b> Un-cut Architrave or Head &amp; Lengths Architraves</p> 	<p>1. <b>Recessed</b> Satin Stainless Steel 2. <b>Options</b> Recessed only, Ironmongery by others</p> 	
						Silver
						Bronze

## The Modulo System

Gallery







## The Modulo System

Gallery









## The Modulo System

Gallery





## Applications

Modulo Doorsets

# Flat Entrance Doorsets

Modulo Front Entrance Doorsets (FED's) come with the design options to suit your requirements including multiple door leaf finishes, 30 minute fire rating and PAS 24 security giving peace of mind on all fronts!

## Assurance

Tested to the latest, more arduous BS EN 1634 Part 1 & 3 Fire & Smoke testing standards. Third-party Certified.



Raising Standards  
Safety Assured

certifire



## PAS 24 Security

PAS 24 is a security testing standard that ensures windows and doors can resist a level of attack from an opportunist burglar.



## Fire-rated Safety

Tested to both BS 476:22 and BS EN 1634:1 fire testing standards.



## Door Hardware Options

Provided with standard hardware including the Latch/ Lock, Closer, Spy-hole, Letter Plates, Signage and Handles. If further security is required, Modulo is also tested and certified to the PAS 24 security rating with the correct hardware.



## Performance

Tested for EN1634-3:2004 fire resistance and smoke control.



**PAS 24**  
Security



**Up to EI30**  
Fire-rated



**Up to EI60**  
Fire-rated



**Smoke Seals**  
Included




**28dB - 30dB**  
Acoustic

## Door Leaf Configurations

Available as a single (opening from left or right) or with additional glazed sidescreen to suit your requirements.

*See p28 for Door Leaf Finishes*



Single Leaf

## Door Leaf Furniture

Customise your Flat Entrance Doorset with a range of matching ironmongery options in satin stainless steel.

*See p30 for further options*



**Handle**  
Options




**Closer**  
Options



**Lock & Latch**  
Options



**Cylinder**  
Options



**Intumescent**  
Options



**Ancillary**  
Options



**Letterplate**  
Options



**Signage**  
Options



## Applications

Modulo Doorsets

# Internal Doorsets

Compliment your project with matching internal doorsets with configurable options to suit all your internal door applications, including Bedroom, Bathroom and Cupboard Doors. Modern, European style frame and architrave in a range of finishes gives the increased perception of value to the interior of the property.

## Assurance

Tested to the latest, more arduous BS EN 1634 Part 1 & 3 Fire & Smoke testing standards. Third-party Certified.



Raising Standards  
Safety Assured

certifire




### Bathroom Doors

Often non-Fire-rated, with options of pull handles and lock with thumb turn only, or a full bathroom lock set with lever handle and thumb turn with indicator.



### Bedroom Doors

Fire-rated and non-Fire-rated options typically with a latch and lever handle only.



### Cupboard Doors

Fire-rated and non-Fire-rated options depending on what is inside the cupboard. Latching options can vary between roller catch, standard latch and lever and a deadlock. The passive leaf is typically locked in place using a flush bolt.

## Performance

Tested for EN1634-3:2004 fire resistance and smoke control.



Non  
Fire-rated



Up to EI30  
Fire-rated



Up to EI60  
Fire-rated



Smoke Seals  
Included




28dB - 30dB  
Acoustic


## Door Leaf Configurations

Available as a single or double door leaf (opening from left or right) to suit your requirements.

[See p28 for Door Leaf Finishes](#)



Single Leaf



Double Leaf

## Door Vision Panels

Non-Fire-rated and FD30 options, provided in different styles dependent upon the door application selected.

Vision panels can affect the insulation rating.

[See p29 for more information](#)



Type A



Type B

## Door Leaf Furniture

Customise your Internal Doorset with a range of matching ironmongery options in satin stainless steel.

[See p30 for further options](#)



Handle  
Options




Closer  
Options



Lock & Latch  
Options



Cylinder  
Options



Intumescent  
Options



Ancillary  
Options



Signage  
Options





## Applications

Modulo Doorsets

# Communal Doorsets

Typically unlatched but still required to be Fire-rated; Communal Doors are often in high traffic areas therefore options for acoustic reduction, as well as vision panels to facilitate clear access are required. Doorsets can be installed with closers alone, and still achieve the required acoustic and fire-rating requirements.

## Assurance

Tested to the latest, more arduous BS EN 1634 Part 1 & 3 Fire & Smoke testing standards. Third-party Certified.



Raising Standards  
Safety Assured

certifire



## Vision Panels

Allow natural light into the area beyond the door when closed, or when used in a common area, facilitate visibility through the door before opening. Designed to maintain the Fire and/or Acoustic protection required the other side of the door.



## Double Doors

To facilitate greater access through higher traffic areas or where larger equipment needs to pass through.



## Fire Doors

All finish options are still available in the Fire-rated configuration as specified.

## Performance

Tested for EN1634-3:2004 fire resistance and smoke control.



**PAS 24**  
Security



**Up to EI60**  
Fire-rated



**Smoke Seals**  
Included




**28dB - 30dB**  
Acoustic


## Door Leaf Configurations

Available as a single (opening from left or right) or double-leaf configurations to suit your specific requirements.


[See p28 for Door Leaf Finishes](#)




Single Leaf



+Glazed Sidescreen



Double Leaf



+Glazed Sidescreen

## Door Vision Panels

Non-Fire-rated and FD30 options, provided in different styles dependent upon the door application selected.

Vision panels can affect the insulation rating.

[See p29 for more information](#)



Type A



Type B

## Door Leaf Furniture

Customise your Internal Doorset with a range of matching ironmongery options in satin stainless steel.

[See p30 for further options](#)

Speak to the Selo team to discuss

Access Control options:

**020 0380 0339**



**Handle**  
Options




**Closer**  
Options



**Lock & Latch**  
Options



**Cylinder**  
Options



**Intumescent**  
Options



**Ancillary**  
Options



**Signage**  
Options



## Technical Details

Modulo Doorsets

# Door Leaf Sizes

Standard factory undercut is 17mm unless otherwise specified.

Minimum undercut is 3mm. \*Structural opening height will vary accordingly. Jambs can be trimmed at time of installation as required.

## Typical Imperial Door Sizes

**Cupboard Doors** 457mm x 1981mm

**Narrow Doors** 533mm x 1981mm

**Standard Doors** 762mm x 1981mm

**Wide Doors** 838mm x 1981mm

**Extra Wide Doors** 914mm x 1981mm

For Doc M Compliance

## Imperial Structural Opening Matrix

Speak to the Selo team if other sizes are required **020 0380 0339**

Leaf Type	Door Leaf Size (mm)	Overall Frame Width	Minimum S/O Width	Optimum S/O Width	Maximum S/O Width	Overall Frame Height*	Minimum S/O Height*	Optimum S/O Height*	Maximum S/O Height*
Single	762(w) x 1981(h)	828mm	836mm	848mm	868mm	2031mm	2035mm	2043mm	2051mm
	838(w) x 1981(h)	904mm	912mm	924mm	944mm				
	914(w) x 1981(h)	980mm	988mm	1000mm	1020mm				
Equal Pair	762(w) + 762(w) x 1981(h)	1594mm	1602mm	1618mm	1634mm	2031mm	2035mm	2043mm	2051mm
	838(w) + 838(w) x 1981(h)	1746mm	1754mm	1770mm	1786mm				
	914(w) + 914(w) x 1981(h)	1898mm	1906mm	1922mm	1938mm				
Unequal Pair	762(w) + 457(w) x 1981(h)	1289mm	1297mm	1313mm	1329mm	2031mm	2035mm	2043mm	2051mm
	838(w) + 457(w) x 1981(h)	1365mm	1373mm	1389mm	1405mm				
	914(w) + 457(w) x 1981(h)	1441mm	1449mm	1465mm	1481mm				



## Technical Details

Modulo Doorsets

## Typical Metric Door Sizes

**Cupboard Doors** 326mm x 2040mm

**Narrow Doors** 526mm x 2040mm

**Standard Doors** 726mm x 2040mm

**Wide Doors** 826mm x 2040mm

**Extra Wide Doors** 926mm x 2040mm

For Doc M Compliance

## Metric Structural Opening Matrix

Leaf Type	Door Leaf Size (mm)	Overall Frame Width	Minimum S/O Width	Optimum S/O Width	Maximum S/O Width	Overall Frame Height*	Minimum S/O Height*	Optimum S/O Height*	Maximum S/O Height*
Single	626(w) x 2040(h)	692mm	700mm	710mm	732mm	2090mm	2083mm	2100mm	2105mm
	726(w) x 2040(h)	792mm	800mm	810mm	832mm				
	826(w) x 2040(h)	892mm	900mm	910mm	932mm				
	926(w) x 2040(h)	992mm	1000mm	1010mm	1032mm				
Equal Pair	526(w) + 526(w) x 2040(h)	1122mm	1130mm	1140mm	1162mm	2090mm	2083mm	2100mm	2051mm
	626(w) + 626(w) x 2040(h)	1322mm	1330mm	1340mm	1362mm				
	726(w) + 726(w) x 2040(h)	1522mm	1530mm	1540mm	1562mm				
	826(w) + 826(w) x 2040(h)	1722mm	1730mm	1740mm	1762mm				
	926(w) + 926(w) x 2040(h)	1922mm	1930mm	1940mm	1962mm				
Unequal Pair	426(w) + 726(w) x 2040(h)	1122mm	1130mm	1140mm	1162mm	2090mm	2083mm	2100mm	2051mm
	526(w) + 726(w) x 2040(h)	1222mm	1230mm	1240mm	1262mm				
	426(w) + 826(w) x 2040(h)	1322mm	1330mm	1340mm	1362mm				
	426(w) + 926(w) x 2040(h)	1422mm	1430mm	1440mm	1462mm				
	526(w) + 926(w) x 2040(h)	1522mm	1530mm	1540mm	1562mm				

## Technical Details

Modulo Doorsets

# Door Leaf **Finishes**






### Durable & Consistent Finishes using our Stock Laminates

Faced with continuous pressure laminate (CPL), then lipped with ABS lippings to the top and sides; either complimenting or contrasting colours, with no need for on-site trimming or finishing. This ensures a tough, easy-to-clean surface that lasts. For larger quantities for specific projects, we also offer a larger range of finishes, including authentic looking CPL, as well as veneered and panelled options to suit the project requirements.



### Stock Finishes






Held in-stock ready to dispatch:

- Light Oak**  
Laminate 
- Mid Oak**  
Laminate 
- Solid Grey**  
Laminate 
- Chalk White**  
Laminate 
- Primed**  
Ready-to-paint 



### Project Specific Options

Popular project specific finishes:

- Heritage Oak**  
Veneer 
- Grey Oak**  
Laminate 
- Black Stained Oak**  
Laminate 
- Urban Walnut**  
Laminate 
- Panelled Primed**  
Ready-to-paint 



Exceptional range of finishes available!  
Speak to the Selo team for more options:  
**020 0380 0339**

## Technical Details


Modulo Doorsets

# Door Leaf **Vision Panels**

The Vision Panel Beading can be provided 'Flush', or with a 'Hockey-stick' profile. Beading is available in two finishes; Lacquered Oak (used on all finished laminate door leaves) and White Primed (used in RTP door leaves).



**Type A**



**Type B**

### **7mm Pyrobelite Glass Infill Panel Options**

Non-Fire-rated and FD30 options available in three different layout configurations:

#### **Type A**

Part M Compliant

200mm(w) x 1500mm(h)

#### **Type B**

200mm(w) x 775mm(h)

Vision panels can affect the insulation rating of the door.



## Technical Details


Modulo Doorsets

# Door Leaf Furniture


**Project specific and customer supplied ironmongery are also available** (providing it is Certifire approved).  
Satin Stainless Steel is the standard Modulo hardware finish, this suits the requirements for majority of projects.  
If other finishes are required please speak to the Selo team **020 0380 0339**

### Stock Handles


Satin stainless steel lever and pull handles are pre-drilled ready to fit.  
Handles are delivered separately to avoid damage in transit.




Arched  
Lever




Arched T-Bar  
Lever




Return To Door  
Lever




Straight  
Lever




Straight Mitred  
Lever




Straight T-Bar  
Lever



D-Shaped  
Pull-handle




Guardsmen  
Pull-handle



Mitred  
Pull-handle



Pull-handle  
Cover Caps



Escutcheon



Indicator Turns

### Stock Locks & Latches

DIN Standard Mortice locks and latches to suit any application.



Mortice  
Sashlock



Mortice  
Deadlock



Mortice  
Bathroom Lock



Mortice  
Latch



Mortice  
Nightlatch



PAS 24  
Multipoint Lock




Heavy Duty  
Roller Catch

## Stock **Cylinders**


Matching satin stainless steel.  
Also available with master keys.



**D-Shaped  
Cylinder**



**Guardsman  
Cylinder**



**Mitre  
Cylinder**

## Stock **Door Closers**

Overhead closers rated to suit  
specific applications.



**EN1-3  
Door Closer**



**EN2-4  
Door Closer**



**EN2-5  
Door Closer**

## Stock **Ancillary**

Matching satin stainless steel.



**Door  
Viewer**



**Dust Excluding  
Socket**




**Socket  
To Wood**




**Euro Profile  
Pull**




**Oval  
Floor Door Stop**




**Pillar  
Floor Door Stop**




**Wall Mount  
Door Stop**



**Wall Mount  
Coat Hook**



**Toilet  
Signage**



**Statutory  
Signage**



**Door  
Numbers**

Speak to the Selo team to discuss  
alternative ironmongery options:  
**020 0380 0339**

## Case Study

Modulo Doorsets

# FD90 fire-rated internal doorsets for new **WAGO** headquarters

### Why did you engage Modulo?

Overall, it was the cost of the product that initially attracted us to Modulo. But when we actually got into the nitty gritty of it, the engagement the sales team had, and the level of knowledge made it really easy to run through what we needed.

We have a client here that wants the highest-spec timber doors, so having the knowledge from Modulo's side in the meetings, as well as the quotes, made it a no-brainer. So, this is why we used Modulo.

### What went well with the project?

The level of specification we had to reach for our client was met, and the level of communication was second to none. We didn't have to wait around and didn't have to chase anyone, Modulo was on it from the get-go. That makes our job a lot easier, as it gives our client and me, being the main contractor, confidence.

That level of communication is key to what we do. If you don't have that level of communication, things like the access control can potentially slip through the net.

### Anything else you would like to add?

Everything is just incredible. Another thing is, Modulo hadn't done many FD90 doors but they turned out fantastic and as heavy as they are with the door closer on them, they open really easily.

**The bespoke options turned out incredible!**

**Michael Hempsey**  
Project Manager

**MCS Group**



Scan QR to view the full Case Study  
[modulodoorsets.com/projects/wago](https://modulodoorsets.com/projects/wago)



**“Modulo makes my  
job and the job of the  
installer much easier!”**

### Project details

**Client**

Wago UK Headquarters

**Location**

Rugby

**Sector**

Commercial

**Contractor**

MCS Group

**Main feature**

FD90 fire-rated Doorsets



## Support

Surrounding your project

halo  
assist

Project assistance **at every stage**

**call** 020 3880 0339 **email** [support@modulodoorsets.com](mailto:support@modulodoorsets.com)



### STAGE #1

#### Concept

Our engagement at the initial concept stage helps to ensure that design aspirations can be achieved and compliance requirements fulfilled.



### STAGE #2

#### Specification

Providing in-depth support in clarifying the project specification, securing all necessary compliance certification and if required, conducting site visits.



### STAGE #3




#### Execution

As soon as a confirmed order is placed we assign a dedicated Project Manager. We will come to site and go through the schedule, provide an install demo, and conduct a compliance review.



Scan QR to find out more  
[selo.global/project-assistance](https://selo.global/project-assistance)





© 2024 Modulo Doorsets. All rights reserved.

Certain images shown are copyright of Vicaima. No part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means and whether or not transiently, or incidentally to some other use of this publication) without the written permission of the copyright owner(s). Application for the copyright owner's permission to reproduce any part of this publication should be addressed to Modulo. Where colour and finish samples are shown within this document limitations in the reprographics process mean absolute colour accuracy cannot be guaranteed. Where colour matching is critical, a sample of the material can be provided on request.

Modulo reserves the right to alter specification and designs without prior notice.

February 2025 | Rev.2 SEL-MRK-00075



## Contact

Support

Our **support** goes  
above and beyond,  
**like no other.**

call 020 3880 0339

email [info@modulodoorsets.com](mailto:info@modulodoorsets.com)



Visit our website  
[modulodoorsets.com](http://modulodoorsets.com)



# Modulo Doorsets.

Modulo Doorsets K2 Kents Hill Business Park  
Timbold Drive Milton Keynes MK7 6BZ  
[www.modulodoorsets.com](http://www.modulodoorsets.com)

