

Modulo NFR Timber Doorset

Product Datasheet



NFR Configurations

Single Doorset

Latched, Single Action, Single Doorset (LSASD)
Unlatched, Single Action, Single Doorset (ULSASD)

Double Doorset

Latched, Single Action, Double Doorset (LSADD)
Unlatched, Single Action, Double Doorset (ULSADD)

Acoustic Rating

ModuCore BB with Dropseal fitted	Up to 30dB (Single doorset only)
----------------------------------	----------------------------------

ModuCore TC	n/a
-------------	-----





ModuCore HC	n/a
-------------	-----

Door Weights

ModuCore BB (44mm)	24.5 kg/m ²
--------------------	------------------------

ModuCore TC (44mm)	21.97 kg/m ²
--------------------	-------------------------

ModuCore HC (44mm)	8.62 kg/m ²
--------------------	------------------------

Door Leaves	ModuCore BB (Stock)	ModuCore TC (Purchase To Order)	ModuCore HC (Purchase To Order)	ModuCore PB (Purchase To Order)
Minimum Height	1939mm (Smaller heights available - Contact Selo)			
Maximum Height	2040mm	1981mm (Imperial) / 2040mm (Metric)		
Standard Widths	326, 426, 457, 492, 526, 533, 560, 592, 610, 626, 660, 692, 711, 726, 762, 792, 810, 826, 838, 861, 892, 914, 926mm	457, 533, 610, 686, 711, 762, 813, 838, 864, 914mm (Imperial) 426, 526, 626, 726, 826, 926mm (Metric)		
Door Core				
Construction	Solid timber blockboard core with MDF facings and ABS Edge-banding	Tubular core with MDF facings, timber sections to perimeter ABS Edge-banding	Honeycomb core with MDF facings, timber sections to perimeter ABS Edge-banding	Particle board with MDF facings and ABS Edge-banding

Door Leaf Finishes - Please see end of Datasheet

Modulo NFR Timber Doorset

Product Datasheet

SEL-PDS-00030 | Rev.2


Frame Options

85mm wide

To suit wall thickness from 73mm to 100mm

ModuFrame BB (Blockboard)
NFR

(ModuFrame MDF Purchase To Order)




100mm wide

To suit wall thickness from 88mm to 115mm

ModuFrame BB (Blockboard)
NFR

(ModuFrame MDF Purchase To Order)




120mm wide

To suit wall thickness from 108mm to 135mm

ModuFrame BB (Blockboard)
NFR

(ModuFrame MDF Purchase To Order)




140mm wide

To suit wall thickness from 128mm to 155mm

ModuFrame BB (Blockboard)
NFR

(ModuFrame MDF Purchase To Order)



Drawings not to scale

Frame Finishes

Stock

RTP

☐ Ready to Paint

Purchase To Order

CPL Laminate

☒ Light Oak

☒ Mid Oak

☐ Chalk White

☐ Slate Grey

Modulo
Doorsets BY SELO.

call 020 3880 0339

email sales@selo.global

www.modulodoorsets.com

Product specification and designs may alter without prior notice.


Please ensure you have the most up-to-date information before placing an order. This document and all the information contained within is the physical and intellectual property of Linear Building Innovations Limited. t/a Selo.

Modulo NFR Timber Doorset


Product Datasheet

SEL-PDS-00030 | Rev.2

Architrave




Quadrant




Drawings not to scale

Extension Linings


60mm wide
MDF



80mm wide
MDF



100mm wide
MDF



Drawings not to scale

Architrave, Quadrant & Extension Lining Finishes

Stock

RTP

☐ Ready to Paint

Purchase To Order

CPL Laminate

☒ Light Oak

☒ Mid Oak

☐ Chalk White

☐ Slate Grey

Modulo
Doorsets BY SELO.

call 020 3880 0339
email sales@selo.global
www.modulodoorsets.com

Product specification and designs may alter without prior notice.
Please ensure you have the most up-to-date information before placing an order. This document and all the information contained within is the physical and intellectual property of Linear Building Innovations Limited. t/a Selo.

Modulo NFR Timber Doorset




Product Datasheet

SEL-PDS-00030 | Rev.2


Ironmongery	Description	Part No.
Hinges	102 × 76mm G13 SSS BB Butt Hinge Rad Corners	SEL-PRT-01766
Closers	Overhead Door Closer EN3 Overhead Door Closer EN2-4 BC EN2-4 Scissor Arm Closer +Backcheck Function (Satin Nickel) EN2-4 Scissor Arm Closer +Delayed Action & Backcheck (Silver) EN2-5 Scissor Arm Closer Basic (Satin Nickel) EN2-5 Scissor Arm Closer +Delayed Action & Backcheck (Satin Nickel) Electromag Hold Open Closer Responder24 EN4 (Satin Nickel) EN2-4 Cam Action Slide Arm Closer (Satin Nickel) Pair EN2-4 & EN3 Scissor Arm Closer Basic (Satin Nickel)	SEL-PRT-02574 SEL-PRT-02575 SEL-PRT-02575 TBC SEL-PRT-02577 SEL-PRT-02576 SEL-PRT-02568 SEL-PRT-02647 SEL-PRT-02575 & SEL-PRT-02574
Latches/Locks	DIN Standard Mortice Latch DIN Standard Mortice Sashlock DIN Standard Mortice Deadlock DIN Standard Mortice Bathroom Lock 76mm Tubular Latch Mechanical Codelock with lever handle	SEL-PRT-02244 SEL-PRT-02248 SEL-PRT-02246 SEL-PRT-02245 SEL-PRT-02133 SEL-PRT-02633
Lever handles	19mm RTD SSS Levers on Round Rose	SEL-PRT-02542
Pull handles	425 × 19mm SSS B/F 'D' Pull Handle Customers own (subject to approval)	SEL-PRT-02034 N/A
Pushplate	500 × 90mm SSS Finger Plate Sq Corners	SEL-PRT-02044
Kickplate	200mm high x 1.2mm SSS Kickplate Sq Corners (to suit door width)	SEL-PRT-02023 - XXXX
Cylinders	70mm SC Euro Double Cylinder KD 70mm SC Euro Cylinder & Thumbturn KD	SEL-PRT-01247 SEL-PRT-01409
Escutcheons	52 × 8mm SSS Euro Profile Escutcheon 52 × 8mm SSS Blank Escutcheon Euro Cylinder Pull SSS	SEL-PRT-02048 SEL-PRT-02050 SEL-PRT-02253
Bathroom indicator	52 × 8mm SSS Disabled Turn & Release with Indicator	SEL-PRT-02051
Flushbolts	200 × 20mm SSS Lever Action Flush Bolt Rad End	SEL-PRT-01995
Air transfer grills (pairs)	Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 350×350mm (NFR) Air Transfer Grill - 400×400mm (NFR)	SEL-PRT-02515 SEL-PRT-02516 SEL-PRT-02517
Signage	76mm Dia' Disabled Symbol 76mm Dia' Female Symbol 76mm Dia' Male Symbol 76mm Dia' Unisex Symbol 76mm Dia' WC Symbol 76mm Numeral Self-Adhesive. 0-9 and A, B & C	SEL-PRT-02566 SEL-PRT-02569 SEL-PRT-02572 SEL-PRT-02579 SEL-PRT-02580 SEL-PRT-02119 - SEL-PRT-02131
Door stop	Pedestal Floor Doorstop	SEL-PRT-02556
Dropseal	Concealed Dropseal (to suit door width)	SEL-PRT-02497 - SEL-PRT-02507

As standard, ironmongery is 'Satin Stainless Steel' style.

Vision Panels


			
Reference	Type A	Type B	Type C
Clear vision	1470×170mm	745×170mm	745×170mm & 495×170mm
Glass	6.4mm clear laminated		
Margins	150mm of margin to top and leading edge of door leaf		
Finish	 Lacquered Oak - Used in all finished laminate door leaves White Primed - Used in RTP door leaves		

Threshold (If required)



8mm thick

Hardwood, flat strip with width to suit frame



Drawings not to scale

15mm thick

Hardwood, flat strip with width to suit frame

Modulo NFR Timber Doorset

Product Datasheet

Door Leaf Finishes	Moducore BB (Stock)	Purchase To Order
Ready to Paint	<input type="radio"/> Matt Paper	<input type="radio"/> Matt Paper
White Laminate Melamine faced MDF	<input type="radio"/> Chalk White	Formica / Egger / Greenlam Laminates (To customer specification)
Wood Grain Laminate/Veneer Melamine faced MDF	<input type="radio"/> Light Oak <input type="radio"/> Mid Oak	Formica / Egger / Greenlam Laminates / Real-wood Veneers (To customer specification)
Solid Colour Laminate Melamine faced MDF	<input type="radio"/> Slate Grey	Formica / Egger / Greenlam Laminates (To customer specification)