Modulo NFR Timber Doorset

Product Datasheet

NFR Configurations

Single Doorset

Latched, Single Action, Single Doorset (LSASD) Unlatched, Single Action, Single Doorset (ULSASD)

Double Doorset

Latched, Single Action, Double Doorset (LSADD) Unlatched, Single Action, Double Doorset (ULSADD)

Acoustic Rating			
ModuCore BB with Dropseal fitted	Up to 30dB (Single doorset only)		
ModuCore TC	n/a		
ModuCore HC	n/a		
Door Weights			
ModuCore BB (44mm)	24.5 kg/m²	ModuCore HC (44mm	8.62 kg/m ²
ModuCore TC (44mm)	21.97 kg/m²	ModuCore PB (44mm)	27.3 kg/m²




Door Leaves	ModuCore BB (Stock)	ModuCore TC (To order)	ModuCore HC (To order)	ModuCore PB (To order)
Minimum Height	1000mm	1981mm (Imperial) / 2040m	m (Metric)	
Maximum Height	2040mm	1981mm (Imperial) / 2040mm (Metric)		
Standard Widths	326, 426, 457, 492, 526, 533, 560, 592, 610, 626, 660, 692, 711, 726, 762, 792, 810, 826, 838, 861, 892, 914, 926mm	457, 533, 610, 686, 711, 762 426, 526, 626, 726, 826, 92	, 813, 838, 864, 914mm (Impe	erial)
Door Core				
Construction	Solid timber blockboard core with MDF facings and ABS edging	Tubular core with MDF facings, timber sections to perimeter ABS edging	Honeycomb core with MDF facings, timber sections to perimeter ABS edging	Particle board with MDF facings and ABS edging

Door Leaf Finishes - Please see end of Datasheet



Frame Options



ModuFrame MDF			
	Frame Width	Wall Width	
	85mm	73mm – 100mm	⋖ 85-140mm ►
Medium-density Fibreboard NFR	100mm	88mm - 105mm	
	120mm	108mm - 135mm	
	140mm	128mm - 155mm	


ModuFrame MDF Loose Stop			
	Frame Width	Wall Width	[25/25/###\setilos(15/2)
	85mm	73mm – 100mm	
Medium-density Fibreboard NFR	100mm	88mm - 105mm	■ 85-140mm ■
	120mm	108mm - 135mm	
	140mm	128mm - 155mm	

Drawings not to scale Frame Finishes Stock Ready to Paint RTP Mid Oak Chalk White Slate Grey **CPL Laminate** Light Oak To order Sespoke finishes available (Min. order qty applies)



email sales@selo.global www.modulodoorsets.com

2/6






Modulo NFR Timber Doorset

Product Datasheet

Pull handles 425 × 19mm SSS B/F 'D' Pull Handle Customers own (subject to approval) Pushplate 500 × 90mm SSS Finger Plate Sq Corners SEL-PRT-02044 Kickplate 200mm high x 1.2mm SSS Kickplate Sq Corners (to suit door width) SEL-PRT-02023 - XXXX 70mm SC Euro Double Cylinder KD 70mm SC Euro Cylinder KD 70mm SC Euro Cylinder KD 70mm SC Euro Profile Escutcheon SEL-PRT-01247 SEL-PRT-0147 SEL-PRT-02048 SEL-PRT-02048 SEL-PRT-02050 SEL-PRT-02050 SEL-PRT-02253 Bathroom indicator 52 × 8mm SSS Blank Escutcheon Sel-PRT-02253 Bathroom indicator 52 × 8mm SSS Disabled Turn & Release with Indicator SEL-PRT-02051 Flushbolts 200 × 20mm SSS Lever Action Flush Bolt Rad End Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 400×400mm (NFR) SEL-PRT-02516 SEL-PRT-02517 SEL-PRT-02566 SEL-PRT-02566 SEL-PRT-02566 SEL-PRT-02569 SEL-PRT-02579 SEL-PRT-02579 SEL-PRT-02579 SEL-PRT-02579 SEL-PRT-02579 SEL-PRT-02579 SEL-PRT-02519 - SEL-PRT-02111	Ironmongery	Description	Part No.
Overhead Door Closer EN2-4 BC	Hinges	102 × 76mm G13 SSS BB Butt Hinge Rad Corners	SEL-PRT-01766
Latches/Locks DIN Standard Mortice Sashlock DIN Standard Mortice Deadlock DIN Standard Mortice Barbroom Lock DIN Standard Mortice Barbroom Lock SEL-PRT-02246 SEL-PRT-02246 SEL-PRT-02246 SEL-PRT-02233 SEL-PRT-0233 SEL-PRT-02333 SEL-PRT-02333 SEL-PRT-02334 SEL-PRT-02334 SEL-PRT-02334 SEL-PRT-02334 SEL-PRT-02334 SEL-PRT-02334 SEL-PRT-02334 SEL-PRT-02334 SEL-PRT-02334 N/A Pull handles 425 × 19mm SSS B/F 'D' Pull Handle Customers own (subject to approval) SEL-PRT-02034 N/A Pushplate 500 × 90mm SSS Finger Plate Sq Corners SEL-PRT-02044 Kickplate 200mm high x 1.2mm SSS Kickplate Sq Corners (to suit door width) SEL-PRT-02037 × XXXX Cylinders 70mm SC Euro Double Cylinder KD 70mm SC Euro Double Cylinder KD 70mm SC Euro Double Cylinder KD 70mm SS Euro Profile Escutcheon Sel-PRT-0147 SEL-PRT-0149 Escutcheons 52 × 8mm SSS Euro Profile Escutcheon Sel-PRT-02048 SEL-PRT-02233 Bathroom Indicator 52 × 8mm SSS Disabled Turn & Release with Indicator SEL-PRT-02051 Flushbolts 200 × 20mm SSS Lever Action Flush Bolt Rad End SEL-PRT-02515 Air Transfer Grill - 300 × 300mm (NFR) Air Transfer Grill - 300 × 300mm (NFR) Air Transfer Grill - 300 × 400mm (NFR) Air Transfer Grill - 300 × 400mm (NFR) 76mm Dia' Unisex Symbol 76mm Dia' Hale Symbol 76mm Dia' Unisex Symbol 76mm Numeral Self-Adhesive. 0-9 and A, B & C SEL-PRT-02556	Closers	Overhead Door Closer EN2-4 BC EN2-4 Scissor Arm Closer +Backcheck Function (Satin Nickel) EN2-4 Scissor Arm Closer +Delayed Action & Backcheck (Silver) EN2-5 Scissor Arm Closer Basic (Satin Nickel) EN2-5 Scissor Arm Closer +Delayed Action & Backcheck (Satin Nickel) Electromag Hold Open Closer Responder24 EN4 (Satin Nickel) EN2-4 Cam Action Slide Arm Closer (Satin Nickel)	SEL-PRT-02575 SEL-PRT-02575 TBC SEL-PRT-02577 SEL-PRT-02576 SEL-PRT-02568 SEL-PRT-02647
Pull handles 425 × 19mm SSS 8/F 'D' Pull Handle Customers own (subject to approval) 500 × 90mm SSS Finger Plate Sq Corners SEL-PRT-02044 Kickplate 200mm high x 1.2mm SSS Kickplate Sq Corners (to suit door width) SEL-PRT-02033 - XXXX Cylinders 70mm SC Euro Double Cylinder KD 70mm SC Euro Double Cylinder KD 70mm SC Euro Cylinder & Thumbturn KD SEL-PRT-01247 SEL-PRT-01247 SEL-PRT-01409 SEL-PRT-02048 SEL-PRT-02048 SEL-PRT-02048 SEL-PRT-02050 SEL-PRT-02050 SEL-PRT-02253 Bathroom indicator 52 × 8mm SSS Blank Escutcheon Sel-PRT-02253 SEL-PRT-02253 Bathroom indicator 52 × 8mm SSS Disabled Turn & Release with Indicator SEL-PRT-02051 Flushbolts 200 × 20mm SSS Lever Action Flush Bolt Rad End SEL-PRT-02515 Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 300×300mm (NFR) SEL-PRT-02516 SEL-PRT-02517 76mm Dia' Disabled Symbol 76mm Dia' Holes Symbol 76mm Dia' Holes Symbol 76mm Dia' Wc Symbol 76mm Numeral Self-Adhesive. 0-9 and A, B & C SEL-PRT-02556	Latches/Locks	DIN Standard Mortice Sashlock DIN Standard Mortice Deadlock DIN Standard Mortice Bathroom Lock 76mm Tubular Latch	SEL-PRT-02248 SEL-PRT-02246 SEL-PRT-02245 SEL-PRT-02133 SEL-PRT-02634 / SEL-PRT-02299/
Pull handles Customers own (subject to approval) N/A Pushplate 500 × 90mm SSS Finger Plate Sq Corners SEL-PRT-02044 Kickplate 200mm high x 1.2mm SSS Kickplate Sq Corners (to suit door width) SEL-PRT-02023 - XXXX Cylinders 70mm SC Euro Double Cylinder KD 70mm SC Euro Cylinder & Thumbturn KD SEL-PRT-01247 SEL-PRT-01247 SEL-PRT-01249 SEL-PRT-02048 SEL-PRT-02048 SEL-PRT-02050 SEL-PRT-02050 SEL-PRT-02050 SEL-PRT-02253 Bathroom indicator 52 × 8mm SSS Blank Escutcheon SU-PRT-02050 SEL-PRT-02051 Flushbolts 200 × 20mm SSS Lever Action Flush Bolt Rad End SEL-PRT-02051 Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 300×350mm (NFR) Air Transfer Grill - 400×400mm (NFR) SEL-PRT-02516 SEL-PRT-02517 76mm Dia' Diabled Symbol 76mm Dia' Unisex Symbol 76mm Numeral Self-Adhesive. 0-9 and A, B & C SEL-PRT-02556	Lever handles	19mm RTD SSS Levers on Round Rose	SEL-PRT-02542
Cylinders Cylinder SC Euro Double Cylinder KD SEL-PRT-02023 - XXXX	Pull handles	·	
Tomm SC Euro Double Cylinder KD Tomm SC Euro Cylinder & Thumbturn KD SEL-PRT-01247 SEL-PRT-01409	Pushplate	500 × 90mm SSS Finger Plate Sq Corners	SEL-PRT-02044
Tomm SC Euro Cylinder & Thumbturn KD SEL-PRT-01409	Kickplate	200mm high x 1.2mm SSS Kickplate Sq Corners (to suit door width)	SEL-PRT-02023 - XXXX
SEL-PRT-02050	Cylinders	· ·	
Flushbolts 200 × 20mm SSS Lever Action Flush Bolt Rad End SEL-PRT-01995 Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 350×350mm (NFR) Air Transfer Grill - 400×400mm (NFR) SEL-PRT-02516 SEL-PRT-02516 SEL-PRT-02517 76mm Dia' Disabled Symbol 76mm Dia' Female Symbol 76mm Dia' Male Symbol 76mm Dia' Unisex Symbol 76mm Dia' Unisex Symbol 76mm Dia' WC Symbol 76mm Numeral Self-Adhesive. 0-9 and A, B & C SEL-PRT-02556 SEL-PRT-02556	Escutcheons	52 × 8mm SSS Blank Escutcheon	SEL-PRT-02050
Air Transfer Grill - 300×300mm (NFR) Air Transfer Grill - 350×350mm (NFR) Air Transfer Grill - 350×350mm (NFR) Air Transfer Grill - 400×400mm (NFR) 76mm Dia' Disabled Symbol 76mm Dia' Female Symbol 76mm Dia' Male Symbol 76mm Dia' Unisex Symbol 76mm Dia' Unisex Symbol 76mm Dia' WC Symbol 76mm Numeral Self-Adhesive. 0-9 and A, B & C SEL-PRT-02556 Pedestal Floor Doorstop SEL-PRT-02556	Bathroom indicator	52 × 8mm SSS Disabled Turn & Release with Indicator	SEL-PRT-02051
Air transfer grills (pairs) Air Transfer Grill - 350×350mm (NFR) Air Transfer Grill - 400×400mm (NFR) 76mm Dia' Disabled Symbol 76mm Dia' Female Symbol 76mm Dia' Male Symbol 76mm Dia' Unisex Symbol 76mm Dia' Unisex Symbol 76mm Dia' WC Symbol 76mm Numeral Self-Adhesive. 0-9 and A, B & C SEL-PRT-02566 SEL-PRT-02572 SEL-PRT-02579 SEL-PRT-02579 SEL-PRT-02580 SEL-PRT-02119 - SEL-PRT-02131	Flushbolts	200 × 20mm SSS Lever Action Flush Bolt Rad End	SEL-PRT-01995
76mm Dia' Female Symbol SEL-PRT-02569 76mm Dia' Male Symbol SEL-PRT-02572 76mm Dia' Unisex Symbol SEL-PRT-02579 76mm Dia' WC Symbol SEL-PRT-02580 76mm Numeral Self-Adhesive. 0-9 and A, B & C SEL-PRT-02119 - SEL-PRT-02131 Door stop Pedestal Floor Doorstop SEL-PRT-02556	Air transfer grills (pairs)	Air Transfer Grill - 350×350mm (NFR)	SEL-PRT-02516
	Signage	76mm Dia' Female Symbol 76mm Dia' Male Symbol 76mm Dia' Unisex Symbol 76mm Dia' WC Symbol	SEL-PRT-02569 SEL-PRT-02572 SEL-PRT-02579 SEL-PRT-02580
Dropseal Concealed Dropseal (to suit door width) SEL-PRT-02497 - SEL-PRT-02507	Door stop	Pedestal Floor Doorstop	SEL-PRT-02556
	Dropseal	Concealed Dropseal (to suit door width)	SEL-PRT-02497 - SEL-PRT-02507


As standard, ironmongery is 'Satin Stainless Steel' style.






8mm thick

Hardwood, flat strip with width to suit frame



15mm thick

Hardwood, flat strip with width to suit frame



Drawings not to scale



Modulo NFR Timber Doorset

Product Datasheet

Door Leaf Finishes	Moducore BB (Stock)	To order
Ready to Paint	Matt Paper	Matt Paper
White Laminate Melamine faced MDF	Chalk White	Bespoke finishes available (Min. order qty applies)
Wood Grain Laminate/Veneer Melamine faced MDF	Light Oak Mid Oak	Bespoke finishes available (Min. order qty applies)
Solid Colour Laminate Melamine faced MDF	Slate Grey	Bespoke finishes available (Min. order qty applies)

